

1500 NW Bethany Blvd, Ste 200 Beaverton, OR 97006

phone (971) 251-2541
email reports@accuguardenviro.com
web accuguardenvironmental.com

PCM Air Sampling Chain of Custody

Job Name					Work Area Location					Client					Sample Date					
										2112111				Turn-Around Time (TAT) Requested: (circle one)						
	Job ID No	1			Filter Lot No.					Client Contact				, , , , , , , , , , , , , , , , , , , ,						
000 ID 110.					Tillot Editio.					5				Rush 2-5 Day (Standard)						
Job Street Address					Calibra	or No	. / Date of	f Calibration		Clie				Analysis: PCM			TEM^			
City, State Zip Code										Client Email				Call AccuGuard Environmental in advance for RUSH analysis. Additional charges apply.						
	Sample # Sample Type* Sample Locati							Type of Respi			Time					Flow		Total Volume		
Sample #					on / Description			FF = Full Fa HF = Half Fa		Pump #	Start	Stop Tot		tal	Beg	End	Avg	(L)	Lab Sample ID	
															<u> </u>					
								<u> </u>									<u> </u>			
						<u> </u>									<u> </u>					
																	<u> </u>			
																	<u> </u>			
																	<u> </u>			
Samples analyzed by PCM according to NIOSH 7400					0 method			** For Lab Use		Only **	Ser	d Re	lesults: Call w/Results E-mail							
												(Plea	ase Cii	rcle C	cle One) Call W/Results			E-IIIaII		
Sampled By (Print Name) Sampled b				pled by S	y Signature Receive			red by (Print Name)		Date	Time	Pleas	e provi	ide th	e contact info	ormation for	sending the	results if it is diff	ferent from the above.	
										Lab PO No.				Nan	ne:					
				<u> </u>	+							E	Email/Phone:							
Relinquished to Lab By (Signature)				Date Dr	ate Time Lab Pe			rsonnel Signature		Lab Batch	Lab No	Lab Notes / Sample Condition:								
^ All TEM analy	Sample must be c sis requests are to maged/lost in trans	oility	Samples Prep	pped By:																